Quadro Gateways Comparison Matrix

cepygi.	Quadro Fxo	QuadrotsDN	QuadroFXS 16	QuadroFXS 26	QuadroM-E1/T1	Quadro M - E1/T1 30 Quadro M - E1/T1 60
Connectivity	l		1.0	26	4	4
FXS Ports Maximum Simultaneous			16	26	1	1
High Quality External IP to PSTN Calls	6	8	16	26	30	60*
FXO Ports	6					
ISDN Ports		4				
E1/T1					1	2
WAN: Ethernet RJ45	1 port	1 port				
LAN: Ethernet RJ45	1 port	1 port				
Call Signaling	SIP, Loop Start	SIP, ISDN BRI	SIP, Loop Start	SIP, Loop Start	SIP, H.323 E1/T1: CAS, CCS	SIP, H.323 E1/T1: CAS, CCS
Voice Coding	G.711, G.726, G.729, iLBC	G.711, G.726, G.729, iLBC				
External Connectivity: RADIUS Client for Billing	√	✓	√	√	√	√
PBX Features						
Voice Mail	√	√	√ **	/ **		
Call Statistics	√	√	√	√	√	√
Call Blocking	√	√	√ **	√ **		
Call Hunting	√	√	√ **	√ **		
Call Forwarding	√	√	√ **	√ **		
Call Hold	√	√	**	**	√	√
Hold Music Upload	√	√			√	√



C epygi.	Quadro Fxo	QuadroIsDN	QuadroFXS 16	QuadroFXS 26	QuadroM-E1/T1	Quadro M-E1/T1 30 Quadro M-E1/T1 60
Unified Messaging	\checkmark	\checkmark	√ **	√ **		
Auto Attendant	√	√			√	√
Dial Plans (Call Routing)	√	√	√	√	√	√
Time of Day Routing	√	√	√	√	√	√
T.38 FAX Support	√	√	√	√	√	√
Custom Language Pack	√	√	√	√	√	√
Network						
Browser Configuration	√	J	√	√	J	√
STUN/NAT Traversal	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark
Remote Diagnostics and Software Upgrade	√	√	√	√	√	√
Remote System Log Analysis and Download	√	√	√	√	√	√
Policy and Service Filtering	√	√	√	√	√	✓
Stateful Inspection Firewall	√	√	√	√	√	√
VPN (IPSec, L2TP, PPTP, 3DES)	√	√	√	√	√	√
IDS	\checkmark	\checkmark	\checkmark	\checkmark		
LAN DHCP Server / WAN DHCP Client	√	√	√	√	√	√
DYNDNS Support	\checkmark	\checkmark	\checkmark	√		
DNS Server	√	√	√	√	√	√
SNTP				<u> </u>	<u> </u>	√
SNMP	<u> </u>	√				
SMS	<u> </u>	<u> </u>	/ **	/ **		
PPPoE	<u> </u>	<u> </u>	√	<u> </u>	√	√

Quadro Gateways Comparison Matrix

Cepygi.	QuadroFxo	QuadroIsDN	QuadroFXS 16	QuadroFXS 26	QuadroM-E1/T1	Quadro M-E1/T1 30 Quadro M-E1/T1 60
PAP/(MS)CHAP	√	/	/	√	√	√
Centralized Provisioning	/	√	√			

^{* -} QuadroM E1/T1 Dual 30 supports 30 external IP to PSTN Calls with g.729 codec and QuadroM E1/T1 Dual 60- 60 external IP to PSTN Calls with g.729 codec.

Epygi Technologies, Ltd. reserves the right to change feature sets at any time.

THIS DOCUMENT IS PROVIDED TO YOU FOR INFORMATIONAL PURPOSES ONLY. The information furnished in this document, believed by Epygi Technologies to be accurate as of the date of publication, is subject to change without notice. Epygi Technologies assumes no responsibility for any errors or omissions in this document and shall have no obligation to you as a result of having made this document available to you or based upon the information it contains.

Epygi is a registered trademark of Epygi Technologies, Ltd. All other products and services are the registered trademarks of their respective holders.

^{** -} Supported only with Quadro IP PBX